



# TEHNOLOGIJA GOSPODARENJA OTPADOM

## MODERN TECHNOLOGY FOR WASTE MANAGEMENT

### 2021



## STACIONARNA RECIKLAŽNA DVORIŠTA STATIONARY RECYCLING YARD





# SADRŽAJ

## CONTENT



**HIDRAULIČKI  
PRESKONTEJNERI**  
HYDRAULIC  
PRESS COMPACTORS

4 - 5



**PUŽNI  
PRESKONTEJNERI**  
WORM  
PRESS COMPACTORS

6 - 7



**DVODJELNI  
PRESKONTEJNERI**  
DOUBLE  
PRESS COMPACTORS

8



**ROLO  
KONTEJNERI**  
ROLO  
CONTAINERS

11



**KOMUNALNI  
KONTEJNERI**  
COMMUNAL  
CONTAINERS

12



**RECIKLAŽNA  
DVORIŠTA**  
RECYCLING  
YARDS

13 - 15



**SORTIRANJE I  
RECIKLAŽA**  
SORTING AND RECYCLING  
PLANT

16



**PRETOVARNE  
STANICE**  
TRANSFER  
STATIONS

17



**TEHNOLOGIJA ZA PROČIŠĆA-  
VANJE OTPADNIH VODA**  
TECHNOLOGY FOR WASTE  
WATER PURIFICATION

18



**SUVREMENA KOMUNALNA  
VOZILA**  
MODERN COMMUNAL  
VEHICLES

19

## PARTNERI / PARTNERS



HIDRAULIČKE PUMPE  
HYDRAULIC PUMPS



HIDRAULIČNA OPREMA  
HYDRAULIC EQUIPMENT



ČELIČNE PLOČE  
STEEL PLATES



Poštovani,

Više od 29 godina poznati smo na tržištu kao pouzdan proizvođač komunalne opreme. Naš slogan je "Fleksibilno, brzo i učinkovito" i za nas ne postoji nerealizirani projekt.

Na sljedećim stranicama želimo Vam predstaviti jedan dio Tehnix proizvodnje i razvoja koji se odnose na proizvodnju Preskontejnera, Rolokontejnera, Reciklažnih dvorišta, Pretovarnih stanica i opreme.

Nadamo se da ćete pronaći potrebne informacije u ovoj brošuri, ujedno vas pozivamo na zajedničku suradnju u budućnosti.

S poštovanjem, Đuro Horvat,  
predsjednik kompanije

Dear Business Partners,

For more than 29 years we have been known as reliable communal equipment producer. Our motto is "flexible, fast and efficient" and for us there is no Project which cannot be fulfilled.

On next pages we would like to present you one part of Tehnix design and production possibilities for Press compactors, Rolo containers, Recycling yards, Transfer stations and equipment.

We wish you pleasant reading of our brochure and we invite you on future cooperation!

Yours sincerely,  
Đuro Horvat, president



*Đuro Horvat*



**NOVO! Tehnix presskontejner upravljan s elektronskom ID karticom i otiskom prsta**

### POSLOVNI KONTAKT / BUSINESS CONTACT

|                                         |                                                  |
|-----------------------------------------|--------------------------------------------------|
| Željko Horvat, dipl. ing. str.          | gsm +385 98 30 3665<br>zeljko.horvat@tehnix.com  |
| Vlado Balent, menadžer specijalist      | gsm +385 98 24 1787<br>vlado.balent@tehnix.com   |
| Igor Habuš, dipl. oec.                  | gsm +385 99 346 88 25<br>igor.habus@tehnix.com   |
| Dario Gosarić, mag. edu. hist.          | gsm +385 99 493 6035<br>dario.gosaric@tehnix.com |
| Marko Povijač, struč. spec. ing. aedif. | gsm +385 99 219 5813<br>marko.povijac@tehnix.com |
| Siniša Bradarić Šlujo, dipl. oec.       | gsm +385 98 216 794<br>split@tehnix.com          |

### TEHNIČKI KONTAKT / TECHNIC CONTACT

|                         |                                                 |
|-------------------------|-------------------------------------------------|
| Nikola Golub, ing. str. | gsm +385 99 324 3590<br>nikola.golub@tehnix.com |
|-------------------------|-------------------------------------------------|

### SERVIS / SERVICE

|                            |                                          |
|----------------------------|------------------------------------------|
| Tomislav Matošić, ing. el. | gsm +385 98 388 395<br>servis@tehnix.com |
|----------------------------|------------------------------------------|



## PREDNOSTI I UŠTEDE U KORIŠTENJU PRESKONTEJNERA

### Ekonomska isplativost

- smanjenje troškova odvoza do 10 puta
- amortizacija do 12 mjeseci
- dobri uvjeti nabave i dugi vijek trajanja

### Ekološka i protupožarna zaštita

- kontrolirani prihvati i odvoz na deponij
- zaštita od smrda
- nemogućnost ispiranja i zagađenja voda

### Zdravstvena zaštita

- nemogućnost prijenosa zaraznih bolesti
- nemogućnost pristupa glodavcima
- nemogućnost raznošenja vjetrom i ljudima

### Tehničke prednosti

- kakvoća uređaja, dugi vijek trajanja
- jednostavno rukovanje i manipulacija
- kontrolirano punjenje i lako pražnjenje
- dimenzije prema DIN standardu

## ADVANTAGES AND SAVINGS BY PRESS COMPACTORS USAGE

### Economic advantages

- decrease of transportation costs for up to 10 times
- amortization up to 12 months
- good purchase conditions and long-lasting product life

### Ecological and fire-fighting protection

- controlled waste collection and transport to disposal site
- smell protection
- eliminated possibility of rinsing and water contamination

### Health protection

- impossible transmission of contagious diseases
- impossible access for rodents
- impossible spreading by wind or people

### Technical advantages

- high quality, long-term use
- simple handling and manipulation
- controlled loading and easy discharge
- dimensions according to DIN standard





## PRESKONTEJNERI HIDRAULIČKI / HYDRAULIC PRESS COMPACTORS

| MODEL                  | DIMENZIJE / DIMENSIONS   |                         |                          | SILA PREŠANJA<br>PRESSING FORCE<br>(kN) | INSTALIRANA SNAGA<br>INSTALLED POWER<br>(kW) |
|------------------------|--------------------------|-------------------------|--------------------------|-----------------------------------------|----------------------------------------------|
|                        | DUŽINA<br>LENGHT<br>(mm) | ŠIRINA<br>WIDTH<br>(mm) | VISINA<br>HEIGHT<br>(mm) |                                         |                                              |
| PKH 5 m <sup>3</sup>   | 3780                     | 1900                    | 1655                     | 320                                     | 4                                            |
| PKH 7,5 m <sup>3</sup> | 4370                     | 2115                    | 2055                     | 320                                     | 4                                            |
| PKH 10 m <sup>3</sup>  | 4770                     | 2115                    | 2055                     | 320                                     | 4                                            |
| PKH 16 m <sup>3</sup>  | 5930                     | 2530                    | 2525                     | 320                                     | 5,5                                          |
| PKH 20 m <sup>3</sup>  | 6680                     | 2530                    | 2525                     | 320                                     | 5,5                                          |




# PRESKONTEJNERI - HIDRAULIČKI

## HYDRAULIC PRESS COMPACTORS



PKH



PODIZAČ ZA KONTEJNERE od 120 do 1100 l  
LIFTER FOR CONTAINERS from 120 to 1100 l



PKH SA OTVORENIM POKLOPCOM  
HPC WITH OPEN COVER



HIDRAULIČKI PODIZAČ POKLOPCA  
HYDRAULIC LIFT OF COVER



POTISNA PLOČA  
PRESSING PLATE



PKH 20 m<sup>3</sup> S PODIZAČEM  
PKH 20 m<sup>3</sup> WITH LIFTER



ELEKTRONSKI ID SUSTAV  
UPRAVLJANJA / ELECTRONIC ID  
MANAGEMENT SYSTEM



KONTROLNO UPRAVLJAČKI PANEI  
CONTROL PANEL







Mali div velikih mogućnosti i ušteda.  
 Velika potisna sila!  
 Jednostavnost rukovanja – automatski i pojedinačni rad.  
 Na zadnjim vratima ugrađena brtva.  
 Mogućnost prenošenja manjim kamionom, dizalicom, brodom  
 i viliškarom!

This small giant of great performances saves your money.  
 It possesses large pressing force and it is easy to handle,  
 by automatic or single operating mode.  
 Gasket is built into the back door.  
 There is a possibility of transport by truck, lift, boat and  
 forklift!


## PRESKONTEJNERI PUŽNI / WORM PRESS COMPACTORS

| MODEL                  | DIMENZIJE / DIMENSIONS   |                         |                          | SILA<br>PREŠANJA<br>PRESSING<br>FORCE<br>(kN) | INSTALIRANA<br>SNAGA<br>INSTALLED<br>POWER<br>(kW) |
|------------------------|--------------------------|-------------------------|--------------------------|-----------------------------------------------|----------------------------------------------------|
|                        | DUŽINA<br>LENGHT<br>(mm) | ŠIRINA<br>WIDTH<br>(mm) | VISINA<br>HEIGHT<br>(mm) |                                               |                                                    |
| PKP 5 m <sup>3</sup>   | 3780                     | 1900                    | 1655                     | 320                                           | 4                                                  |
| PKP 7,5 m <sup>3</sup> | 4370                     | 2115                    | 2055                     | 320                                           | 4                                                  |
| PKP 10 m <sup>3</sup>  | 4770                     | 2115                    | 2055                     | 320                                           | 4                                                  |
| PKP 16 m <sup>3</sup>  | 5930                     | 2530                    | 2525                     | 320                                           | 5,5                                                |
| PKP 20 m <sup>3</sup>  | 6680                     | 2530                    | 2525                     | 320                                           | 5,5                                                |




# PRESKONTEJNERI - PUŽNI

## WORM PRESS COMPACTORS



PKP



POTISNA PUŽNICA  
PRESSING WORM



PROIZVODNJA / PRODUCTION



PUŽNI PRESKONTEJNER  
WORM PRESS COMPACTOR



POGONSKI AGREGAT PKP-a  
WPC IN OPERATION



POGONSKI AGREGAT PKP-a  
WPC DRIVE UNIT



PUŽNI PRESKONTEJNER / WORM PRESS COMPACTOR

# DVODJELNI PRESKONTEJNERI

## DOUBLE PRESS COMPACTORS



PRIHVATNA KOMORA  
RECEIVING CHAMBER



POGONSKI AGREGAT  
DRIVE UNIT



DUPLI PRESKONTEJNERI U EKSPLOATACIJI  
DOUBLE PRESS COMPACTORS IN OPERATION

## DVODJELNI HIDRAULIČKI / PUŽNI PRESKONTEJNERI

### DOUBLE HYDRAULIC / WORM PRESS COMPACTORS

| MODEL      | DIMENZIJE / DIMENSIONS                         |                                                         |                                               |                                                         |                                                |                                                  |                                                    | PRIBLIŽNA<br>MASA<br>KONTEJNERA<br>APP.<br>WEIGHT OF<br>CONTAINER<br>(kg) | SILA<br>PREŠANJA<br>PRESSING<br>FORCE<br>(kN) | INSTALIRANA<br>SNAGA ELEKTRIČNOG<br>MOTORA INSTALLED<br>POWER OF ELECTRIC<br>MOTOR<br>(kW) |
|------------|------------------------------------------------|---------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------|------------------------------------------------|--------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------|
|            | DUŽINA<br>GLAVE<br>HEAD<br>LENGTH<br>(HL) (mm) | ŠIRINA<br>KONTEJNERA<br>CONTAINER<br>WIDTH<br>(CL) (mm) | DUŽINA<br>GLAVE<br>HEAD<br>WIDTH<br>(HW) (mm) | ŠIRINA<br>KONTEJNERA<br>CONTAINER<br>WIDTH<br>(CW) (mm) | VISINA<br>GLAVE<br>HEAD<br>HEIGHT<br>(HH) (mm) | UKUPNA<br>VISINA<br>TOTAL<br>HEIGHT<br>(TH) (mm) | VISINA<br>OTVORA<br>OPENING<br>HEIGHT<br>(OH) (mm) |                                                                           |                                               |                                                                                            |
| DPCH 20 m³ | 2000                                           | 4500                                                    | 1940                                          | 2360                                                    | 1940                                           | 2680                                             | 1940                                               | app. 4290                                                                 | 250 - 350                                     | 5,5 / 7,5 / 11                                                                             |
| DPCH 32 m³ | 2000                                           | 6430                                                    | 1940                                          | 2360                                                    | 1940                                           | 2680                                             | 1940                                               | app. 5090                                                                 | 250 - 350                                     | 5,5 / 7,5 / 11                                                                             |
| DPCH 20 m³ | 1550                                           | 4500                                                    | 1600                                          | 2360                                                    | 1940                                           | 2680                                             | 1940                                               | app. 4050                                                                 | 250 - 350                                     | 5,5 / 7,5 / 11                                                                             |
| DPCH 32 m³ | 1550                                           | 6430                                                    | 1600                                          | 2360                                                    | 1940                                           | 2680                                             | 1940                                               | app. 4850                                                                 | 250 - 350                                     | 5,5 / 7,5 / 11                                                                             |



# DODATNA OPREMA

## ADDITIONAL EQUIPMENT



PRIHVATNA KOMORA / RECEIVING CHAMBER



MONTAŽA MEHANIZMA ZA ZATVARANJE VRATU  
DOOR LOCKING MECHANISM INSTALLATION



POGONSKI AGREGAT  
DRIVE UNIT



POTISNI MEHANIZAM  
PRESSING MECHANISM



PODIZAČ KONTEJNERA  
CONTAINER LIFTER




UPRAVLJAČKO-ENERGETSKI BLOK  
CONTROL POWER UNIT



DEMONTIRAJUĆI AGREGAT SA KOMANDAMA  
DETACHABLE AGGREGATE WITH ALLOCATED  
COMMANDS



GRJAIČI I SENZORI  
HEATERS AND SENSORS



SISTEMI ZA ZATVARANJE  
LOCKING SYSTEMS



SISTEM ZA PODMAZIVANJE I HLAĐENJE  
COOLING AND LUBRICATION SYSTEM



PODIZAČ KONTEJNERA  
CONTAINER LIFTER



# PRESSBOX TERMO 50 / 100

## PRAVO RJEŠENJE ZA ODLAGANJE KOMUNALNOG OTPADA

GRADOVI, PODUZEĆA, BOLNICE, STAMBENE ZGRADE, TRŽNICE, HOTELI, RESTORANI, KAMPOVI, MARINE



- VISOKA KVALITETA IZRADE
- JEDNOSTAVNA I BRZA INSTALACIJA I MONTAŽA
- SABIJANJE KOMUNALNOG OTPADA 1 : 10
- TERMOIZOLIRANI SPREMIK
- VELIKA POTISNA SILA
- VISOKA EFIKASNOST I EKONOMIČNOST
- JEDNOSTAVNO RUKOVANJE
- MINIMALNO ODRŽAVANJE
- INTEGRIRANI POGONSKI HIDRAULIČKI AGREGAT
- MANIPULACIJA KOMUNALNIM VOZILOM SAMOPODIZAČEM
- OSIGURANI REZERVNI DIJELOVI I SERVIS

## DODATNA OPREMA - MOGUĆNOST DOGRADNJE:

- POGON DIESEL MOTOROM
- DOJAVA POPUNJENOSTI
- GSM MODUL ZA DOJAVU POPUNJENOSTI SMSom
- IDENTIFIKACIJA KORISNIKA KARTICAMA ZA KONTROLU ODLAGANJA OTPADA



| MODEL     | KAPACITET          | ZAPREMNINA TLAČNOG SPREMIKA | DULJINA (mm) | ŠIRINA (mm) | DUBINA / VISINA (mm) | SILA PREŠANJA kN | INSTALIRANA SNAGA POGONSKOG ELEKTROMOTORA | INSTALIRANA SNAGA JEDINICE ZA HLAĐENJE | SPREMIK HIDRAULIČNOG ULJA |
|-----------|--------------------|-----------------------------|--------------|-------------|----------------------|------------------|-------------------------------------------|----------------------------------------|---------------------------|
| PBT - 50  | 50 m <sup>3</sup>  | 5 m <sup>3</sup>            | 4550/5250    | 2350        | 1950/1500            | do 320           | 4,0 kW                                    | 0,5 kW                                 | 50 l                      |
| PBT - 100 | 100 m <sup>3</sup> | 10 m <sup>3</sup>           | 5315/6050    | 2570        | 2275/1600            | do 320           | 4,0 kW                                    | 0,5 kW                                 | 50 l                      |



# ROLO KONTEJNERI

## ROLO CONTAINERS




ROLOKONTEJNERI S DVOKRILNIM I JEDNOKRILNIM POKROVOM / ROLO CONTAINERS WITH DOUBLE AND SINGLE LID




ROLO KONTEJNERI "TEHNIX" - TIPSKI PROIZVOD  
/ ROLO CONTAINERS "TEHNIX" - TYPE PRODUCT



SPECIJALNA IZVEDBA / SPECIAL PRODUCTION



Rolo kontejneri imaju sustav zatvaranja po euro normi  
Rolo containers have the closing system according to  
Euro standard



Sa ili bez prečke  
With or without a bar

Unutarnje dimenzije rolo kontejnera tip Tehnix / Interior dimensions of Tehnix rolo container

| TIP TEHNIX<br>TYPE TEHNIX | DUŽINA<br>LENGHT L (m) | ŠIRINA<br>WIDTH B (m) | VISINA<br>HEIGHT H (m) | ZAPREMINA<br>VOLUME (m³) |
|---------------------------|------------------------|-----------------------|------------------------|--------------------------|
| 1000-14                   | 6,00                   | 2,45                  | 1,00                   | 14                       |
| 1000-18                   | 6,00                   | 2,45                  | 1,25                   | 18                       |
| 1500-21                   | 6,00                   | 2,45                  | 1,50                   | 21                       |
| 1500-23                   | 6,00                   | 2,45                  | 1,65                   | 23                       |
| 2000-28                   | 6,00                   | 2,45                  | 2,00                   | 28                       |
| 2000-30                   | 6,00                   | 2,45                  | 2,15                   | 30                       |
| 2000-32                   | 6,00                   | 2,45                  | 2,30                   | 32                       |
| 2000-36                   | 6,50                   | 2,45                  | 2,30                   | 36                       |
| 2000-38                   | 6,50                   | 2,45                  | 2,35                   | 38                       |



# KOMUNALNI KONTEJNERI 5, 7, 10, 12 i 14 m<sup>3</sup>

## COMMUNAL CONTAINERS 5, 7, 10, 12 AND 14 m<sup>3</sup>

Za sakupljanje komunalnog otpada, papira, plastike, metala  
For collection of utility waste, paper, plastics, metals and other

Komunalni kontejneri su izrađeni prema DIN standardima i prilagođeni za nakladanje jedan na drugi do tri kontejnera, što znatno racionalizira troškove transporta! Čvrsta konstrukcija i dugi vijek trajanja. Osnovna konstrukcija kontejnera izvedena je od limova debljine 3 mm, a ukrućena od limova debljine 4 i 5 mm! Sva ukrućenja su zavarena po cijeloj dužini čime je eliminirana mogućnost unutarnje korozije! Poklopci su ovješeni na opruge, a zatvaraju se pomoću krilastog prokron vijka! Površinska zaštita izvedena je izvana temeljnom i završnom bojom, a unutarnje površine zaštićene su bojom otpornom na soli, kiseline i lužine!

Utility waste containers are produced according to DIN standards and are adopted for stacking up to three containers, what significantly reduces transport costs! They have rigid construction and long service life. The basic construction of utility waste containers is made of 3 mm thick steel plates and it becomes rigid by the use of 4 and 5 mm thick steel plates. All rigid parts are welded along, which eliminates possibility of inner corrosion! Covers are suspended on springs and may be closed with stainless steel butterfly screw! Surface protection is made by ground and cover paint, while inner surfaces are protected by paint resistant to salt, acids and alkali!



OTVORENI KONTEJNER S PREKLOPNOM STRANICOM



OTVORENI KONTEJNER



MREŽASTI KONTEJNER



KONTEJNER SA CERADOM



ZATVORENI KONTEJNER



ZATVORENI KONTEJNER S KOTAČIMA



KONTEJNER SA DUPLIM VRATIMA



ZATVORENI KONTEJNER S UTORIMA ZA VILICE

Osnovne dimenzije komunalnih kontejnera / Basic dimension of utility waste containers

| TIP KONTEJNERA<br>TYPE OF CONTAINER | DUŽINA / LENGTH<br>L (m) | ŠIRINA / WIDTH<br>B (m) | ŠIRINA PODA<br>FLOOR WIDTH<br>P (m) | VISINA / HEIGHT<br>H (m) | VISINA UŠKE<br>EYE HEIGHT<br>P (m) |
|-------------------------------------|--------------------------|-------------------------|-------------------------------------|--------------------------|------------------------------------|
| 5 m <sup>3</sup>                    | 3,31                     | 1,60                    | 1,50                                | 1,25                     | 1,00                               |
| 7 m <sup>3</sup>                    | 3,47                     | 1,60                    | 1,50                                | 1,50                     | 1,00                               |
| 10 m <sup>3</sup>                   | 4,10                     | 1,85                    | 1,70                                | 1,75                     | 1,00                               |
| 12 m <sup>3</sup>                   | 4,56                     | 1,85                    | 1,70                                | 2,00                     | 1,00                               |
| 14 m <sup>3</sup>                   | 4,40                     | 1,80                    | 1,80                                | 2,18                     | 1,00                               |



# STACIONARNA RECIKLAŽNA DVORIŠTA TIP TEHNIX

## STATIONARY RECYCLING YARDS TYPE TEHNIX

### EKONOMIČNO GOSPODARENJE OTPADOM PRAKTIČNO ODLOŽITI – EKONOMIČNO PRIKUPITI – EFIKASNO RECIKLIRATI

Kompanija Tehnix oprema Reciklažna dvorišta prema Planu gospodarenja otpadom Republike Hrvatske za razdoblje 2017.-2022. godine. Reciklažno dvorište je nadzirani ograđeni prostor namijenjen odvojenom prikupljanju i privremenom skladištenju manjih količina posebnih vrsta otpada. Reciklažno dvorište služi odvojenom prikupljanju i skladištenju manjih količina posebnih vrsta otpada (npr. otpadni papir, metal, staklo, plastika, tekstil, krupni (glomazni) otpad, jestiva ulja i masti, deterdženti, boje, lijekovi, EE otpad, baterije i akumulatori, građevni otpad od manjih popravaka iz kućanstva i dr.).


Svakako, organizacija Reciklažnih dvorišta prvi je korak prema organizaciji Postrojenje za sortiranje odvojeno prikupljenog otpada (sortirница) i Reciklažnih centara te prvi korak prema ispunjavanju ciljeva kružne ekonomije.





# PORTIRNICE I RECIKLAŽNA DVORIŠTA U FUNKCIJI

## RECYCLING YARDS IN FUNCTION



## MINI SORTIRNI CENTRI U RECIKLAŽNIM DVORIŠTIMA





# OPREMA, TRANSPORT I ISTOVAR



## EQUIPMENT, TRANSPORTATION AND UNLOADING





# TEHNIX MOBILNA RECIKLAŽNA DVORIŠTA TIP P-7 – SUSTAV PODIZAČ

## MOBILE RECYCLING YARDS TYPE TEHNIX




| VRSTA OPISA                      | KLJUČNI BROJ OTPADA | NAZIV OTPADA                                                                                                       |
|----------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------|
| PROBLEMATIČNI OTPAD              | 20 01 13*           | otapala                                                                                                            |
|                                  | 20 01 14*           | kiseline                                                                                                           |
|                                  | 20 01 15*           | lužine                                                                                                             |
|                                  | 20 01 17*           | fotografske kemikalije                                                                                             |
|                                  | 20 01 19*           | pesticidi                                                                                                          |
|                                  | 20 01 21*           | fluorescentne cijevi i ostali otpad koji sadrži živu                                                               |
|                                  | 20 01 23*           | odbačena oprema koja sadrži klorofluorouglikove                                                                    |
|                                  | 20 01 26*           | ulja i masti koji nisu navedeni pod 20 01 25                                                                       |
|                                  | 20 01 27*           | boje, tiskarske boje, ljepljiva i smole koje sadrže opasne tvari                                                   |
|                                  | 20 01 29*           | deterdženti koji sadrže opasne tvari                                                                               |
|                                  | 20 01 31*           | citotoksici i citostatiki                                                                                          |
|                                  | 20 01 33*           | baterije i akumulatori                                                                                             |
|                                  | 20 01 35*           | odbačena električna i elektronička oprema koja sadrži opasne tvari                                                 |
|                                  | 20 01 37*           | drvo koje sadrži opasne tvari                                                                                      |
|                                  | 15 01 10*           | ambalaža koja sadrži ostatke opasnih tvari ili je onečišćena opasnim tvarima                                       |
|                                  | 15 01 11*           | metalna ambalaža koja sadrži opasne krute porozne materijale (npr. azbest) uključujući prazne spremnike pod tlakom |
| PAPIR                            | 20 01 01            | ambalaža od papira i kartona                                                                                       |
| OTPADNI METAL                    | 20 01 01            | papir i karton                                                                                                     |
| OTPADNO STAKLO                   | 15 01 04            | ambalaža od metala                                                                                                 |
| OTPADNA PLASTIKA                 | 20 01 40            | metali                                                                                                             |
| OTPADNI TEKSTIL                  | 15 01 07            | staklena ambalaža                                                                                                  |
| OTPADNI TEKSTIL                  | 20 01 02            | staklo                                                                                                             |
| OTPADNI TEKSTIL                  | 15 01 02            | ambalaža od plastike                                                                                               |
| OTPADNI TEKSTIL                  | 20 01 39            | plastika                                                                                                           |
| OTPADNI TEKSTIL                  | 20 01 10            | odjeća                                                                                                             |
| OTPADNI TEKSTIL                  | 20 01 11            | tekstil                                                                                                            |
| OTPADNI TEKSTIL                  | 20 03 07            | glomazni otpad                                                                                                     |
| JESTIVA ULJA I MASTI             | 20 01 25            | jestiva ulja i masti                                                                                               |
| BOJA                             | 20 01 28            | boje, tiskarske boje, ljepljiva i smole                                                                            |
| DETERDŽENTI                      | 20 01 30            | deterdženti koji nisu navedeni pod 20 01 29                                                                        |
| LIJEKOVI                         | 20 01 32            | lijekovi navedeni pod 20 01 31                                                                                     |
| BATERIJE I AKUMULATORI           | 20 01 34            | baterije i akumulatori koji nisu navedeni pod 20 01 33                                                             |
| ELEKTRIČNA I ELEKTRONIČKA OPREMA | 20 01 36            | odbačena EE oprema koja nije navedena pod 20 01 21*, 20 01 23* i 20 01 35*                                         |
| ULJNI FILTRI                     | 16 01 07*           | filtri za ulje                                                                                                     |



# TEHNIX MOBILNA RECIKLAŽNA DVORIŠTA TIP N-16 – SUSTAV NAVLAKAČ

## MOBILE RECYCLING YARDS TYPE TEHNIX









# PRETOVARNE STANICE TRANSFER STATIONS



## KONTEJNERI / CONTAINERS





# PREŠE BALIRKE

## BALING PRESS

**HARDOX®**

Preša balirka - vertikalna  
Baling press - vertical

Horizontalna preša balirka -  
HPB-25 i HPB-40  
Horizontal baling press -  
HPB-25 and HPB-40

Podizač kontejnera  
Container lifter

Automatska preša balirka - APB 30-60-90 t  
Automatic baling press - APB 30-60-90 t

## TEHNOLOGIJE I UREĐAJI ZA PROČIŠĆAVANJE OTPADNIH VODA

TECHNOLOGY AND EQUIPMENT FOR WASTE WATER PURIFICATION

SEPARATORI I MASTOLOVI / SEPARATORS AND GREASE TRAPS



SEPARATORI LAKIH TEKUĆINA  
LIGHT LIQUID SEPARATORS EN858



BIOJAME 5 - 50 ES  
BIOCESSPITS 5 - 50 PE



BIOROTORI 50 - 1250 ES  
BIOROTORS 50 - 1250 PE



POSTROJENJE APV



# SUVREMENA KOMUNALNA VOZILA EKOMUNAL

## MODERN COMMUNAL VEHICLES EKOMUNAL



Nadogradnja specijalnih vozila

Tehnix podizač kanti i kontejnera od 80 do 1100 litara

Tehnix skip loader for buckets and containers 80 to 1100 liters

Tehnix podizač kontejnera od 5 i 7 m<sup>3</sup>

Tehnix skip loader for containers 5 and 7 m<sup>3</sup>



**TEHNIX - VODEČA KOMPANIJA  
U EKO INDUSTRIJI**

**VAŠ PARTNER U  
ZAŠTITI OKOLIŠA**



## **TEHNIX d.o.o.**

Ulica braće Radić 35  
40320 Donji Kraljevec  
HRVATSKA

centrala: +385 40 650 100  
komercijala: +385 40 650 101  
tehnički ured: +385 40 650 111  
e-mail: [tehnix@tehnix.com](mailto:tehnix@tehnix.com)  
web: [www.tehnix.com](http://www.tehnix.com)  
MB: 3542521  
OIB: 780 138 46 555

### **TEHNIX ZAGREB**

Kninski trg 14  
telefon: +385 1 605 5896  
GSM: +385 98 305 795  
e-mail: [zagreb@tehnix.com](mailto:zagreb@tehnix.com)

### **TEHNIX SPLIT** Držićeva 7, Solin

telefon: +385 21 244 739  
GSM: +385 98 216 794  
e-mail: [split@tehnix.com](mailto:split@tehnix.com)

**TEHNIX  
LEADING COMPANY  
IN ECO INDUSTRY**

*Ja sam prijatelj  
Tehnixa*

